AUTHOR INDEX

Aguilera, R. A., Advanced IR imaging seeker program, 58
Andrada, T., Staring infrared mosaic observation of an F-15 aircraft, 152
Ben-Shalom, A., Absorption of infrared radiation by atmospheric water vapor in the region 4.3-5.5 micron—preliminary measurements, 261
Benson, Robert S., Infrared (IR) scene generation and analytic statistical modeling, 107
Billingsley, F., Staring infrared mosaic observation of an F-15 aircraft, 152
Briggs, S. J., Digital test target for display evaluation, 237
Brod, Lang, Scattering from ZnSe used as an infrared window, 203
Brown, Thomas J., Image processing hardware and software for the 90-element pushbroom infrared/charge coupled device/multiplexer (IR/CCD/MUX) field test instrument, 86
Cashdollar, K. L., Infrared pyrometers for measuring dust explosion temperatures, 254
Chou, F. M., Recent progress in extraction of targets out of clutter, 40
Cook, F., Staring infrared mosaic observation of an F-15 aircraft, 152
Cunningham, James A., Cryogenic systems for spaceborne infrared applications, 170
Darnton, L. A., Evaluation of the Fabry-Perot etalon for spectral discrimination in IR surveillance, 212
Dereniak, Eustace L., Scattering from ZnSe used as an infrared window, 203
Devir, A. D., Absorption of infrared radiation by atmospheric water vapor in the region 4.3-5.5 micron—preliminary measurements, 261
Firschein, Oscar, Automatic track assembly for thresholded infrared images, 75
Fontaine, J., New infrared imaging system with high resolution multi-isothermic liquid crystal sheets, a, 167
Freeman, G. N., Infrared radiation from rocket plumes, 122
Freezer, Dennis R., Design considerations for U.S. Coast Guard search and surveillance forward looking infrared (FLIR) system, 247
Futterman, Walter I., Infrared (IR) scene generation and analytic statistical modeling, 107
Grieder, W. F., Staring infrared mosaic observation of an F-15 aircraft, 152
Haynes, J. M., Aircraft penetration under cloud cover, 181
Hertzberg, M., Infrared pyrometers for measuring dust explosion temperatures, 254
Hines, D. C., Recent progress in extraction of targets out of clutter, 40
Huber, W. H., Monolithic adaptive bandpass filter charge coupled device (CCD) multiplexer for a staring mosaic sensor, 15
Hunneman, R., Cooled filters 16-42 μm wavelength for FIR astronomy, 266
Janssens, Thomas J., Sensor optimization program, a, 24
Kingsley, W. E., Monolithic adaptive bandpass filter charge coupled device (CCD) multiplexer for a staring mosaic sensor, 15
Kosters, J. J., Balloon-borne measurements of infrared (IR) backgrounds, 187
Lee, A., Monolithic adaptive bandpass filter charge coupled device (CCD) multiplexer for a staring mosaic sensor, 15
Lipson, S. G., Absorption of infrared radiation by atmospheric water vapor in the region 4.3-5.5 micron—preliminary measurements, 261
Ludwig, C. B., Infrared radiation from rocket plumes, 122
Malkmus, W., Infrared radiation from rocket plumes, 122
———, Practical treatment of particle plumes, 129
Meyrueis, P., New infrared imaging system with high resolution multi-isothermic liquid crystal sheets, a, 167
Mollicone, Richard A., Cryogenic systems for spaceborne infrared applications, 170
Murcray, D. G., Balloon-borne measurements of infrared (IR) backgrounds, 187
Murcray, F. H., Balloon-borne measurements of infrared (IR) backgrounds, 187
Murphy, R. E., Staring infrared mosaic observation of an F-15 aircraft, 152
Nast, T. C., Status of solid cryogen coolers, 193
Neel, Riley, Scheduling measurements to be made by a step-stare mosaic infrared sensor, 31
Oppenheim, U. P., Absorption of infrared radiation by atmospheric water vapor in the region 4.3-5.5 micron—preliminary measurements, 261
Pau, L. F., Detector layout and scanning for an infrared source classification system, 160
Payton, Gary L., Laminated mosaic module performance measurements, 65
Pfaffly, Larry G., Laminated mosaic module performance measurements, 65
Quenneville, Y., New infrared imaging system with high resolution multi-isothermic liquid crystal sheets, a, 167
Randall, C. M., Evalutaion of the Fabry-Perot etalon for spectral discrimination in IR surveillance, 212
Rapier, Jerry L., Clutter leakage approximations for staring mosaic sensors with simultaneous line of sight (LOS) drift and jitter, 138
Rappaport, Saul, Background suppression with variable modulation transfer function (MTF) imaging systems, 8
Rauch, Herbert E., Automatic track assembly for thresholded infrared images,-75
Reed, Robert, Infrared radiation from rocket plumes, 122
———, Practical treatment of particle plumes, 129
Reitman, William R., Laminated mosaic module performance measurements, 65
Seeley, J. S., Cooled filters 16-42 μm wavelength for FIR astronomy, 266
Sentovich, M. F., Aircraft penetration under cloud cover, 181
Simmons, F. S., Evaluation of the Fabry-Perot etalon for spectral discrimination in IR surveillance, 212
Slack, M., Infrared radiation from rocket plumes, 122
Stailey, Judson E., Some uses of infrared (IR) sensors in meteorology, 222
Valdes, Sergio F., Sensor optimization program, a, 24
Wald, L. H., Recent progress in extraction of targets out of clutter, 40
Wattson, Richard, Background suppression with variable modulation transfer function (MTF) imaging systems, 8
Whatley, A., Cooled filters 16-42 μm wavelength for FIR astronomy, 266
Williams, W. J., Balloon-borne measurements of infrared (IR) backgrounds, 187
Winter, E. M., Causes of clutter for earth background staring sensors, 2
Yap, B. K., Staring infrared mosaic observation of an F-15 aircraft, 152
Zehnpfennig, Theodore, Background suppressin with variable modulation transfer function (MTF) imaging systems, 8
Zittel, P. F., Evaluation of the Fabry-Perot etalon for spectral discrimination in IR surveillance, 212

SUBJECT INDEX

Absorption of infrared radiation by atmospheric water vapor in the region 4.3-5.5 micron—preliminary measurements, 261
Adaptive bandpass filter charge coupled device (CCD) multiplexer for a staring mosaic sensor, monolithic, 15
Advanced IR imaging seeker program, 58
Aircraft penetration under cloud cover, 181
Aircraft, staring infrared mosaic observation of an F-15, 152
Analytic statistical modeling, infrared (IR) scene generation and, 107
Approximations for staring mosaic sensors with simultaneous line of sight (LOS) drift and jitter, clutter leakage, 138
Assembly for thresholded infrared images, automatic track, 75
Astronomy, cooled filters 16-42 μm wavelength for FIR, 266
Atmospheric water vapor in the region 4.3–5.5 micron—preliminary measurements, absorption of infrared radiation by, 261
Automatic track assembly for thresholded infrared images, 75

Background staring sensors, causes of clutter for earth, 2
Background suppression with variable modulation transfer function (MTF) imaging systems, 8
Backgrounds, balloon-borne measurements of infrared (IR), 187
Balloon-borne measurements of infrared (IR) backgrounds, 187
Bandpass filter charge coupled device (CCD) multiplexer for a staring mosaic sensor, monolithic adaptive, 15

(CCD) multiplexer for a staring mosaic sensor, monolithic adaptive bandpass filter charge coupled device, 15
Causes of clutter for earth background staring sensors, 2
Charge coupled device (CCD) multiplexer for a staring mosaic sensor, monolithic adaptive bandpass filter, 15
Charge coupled device/multiplexer (IR/CCD/MUX) field test instrument, image processing hardware and software for the 90-element pushbroom infrared/, 86
Classification system, detector layout and scanning for an infrared source, 160
Cloud cover, aircraft penetration under, 181
Clutter for earth background staring sensors, causes of, 2
Clutter leakage approximations for staring mosaic sensors, with simultaneous line of sight (LOS) drift and jitter, 138
Clutter, recent progress in extraction of targets out of, 40
Cooled filters 16-42 μm wavelength for FIR astronomy, 266
Coolers, status of solid cryogen, 193
Coupled device (CCD) multiplexer for a staring mosaic sensor, monolithic adaptive bandpass filter charge, 15
Cover, aircraft penetration under cloud, 181
Cryogen coolers, status of solid, 193
Cryogenic systems for spaceborne infrared applications, 170
Crystal sheets, a new infrared imaging system with high resolution multi-isothermic liquid, 167

Design considerations for U.S. Coast Guard search and surveillance forward looking infrared (FLIR) system, 247
Detector layout and scanning for an infrared source classification system, 160
Device (CCD) multiplexer for a staring mosaic sensor, monolithic adaptive bandpass filter charge coupled, 15
Digital test target for display evaluation, 237
Display evaluation, digital test target for, 237
Drift and jitter, clutter leakage approximations for staring mosaic sensors with simultaneous line of sight (LOS), 138
Dust explosion temperatures, infrared pyrometers for measuring, 254

Earth background staring sensors, causes of clutter for, 2
Etalon for spectral discrimination in IR surveillance, evaluation of the Fabry-Perot, 212
Evaluation, digital test target for display, 237
Evaluation of the Fabry-Perot etalon for spectral discrimination in IR surveillance, 212
Explosion temperatures, infrared pyrometers for measuring dust, 254
Extraction of targets out of clutter, recent progress in, 40

F-15 aircraft, staring infrared mosaic observation of an, 152
FIR astronomy, cooled filters 16-42 μm wavelength for, 266
(FLIR) system, design considerations for U.S. Coast Guard search and surveillance forward looking infrared, 247
Fabry-Perot etalon for spectral discrimination in IR surveillance, evaluation of the, 212
Field test instrument, image processing hardware and software for the 90-element pushbroom infrared/charge coupled device/multiplexer (IR/CCD/MUX), 86
Filter charge coupled device (CCD) multiplexer for a staring mosaic sensor, monolithic adaptive bandpass, 15
Filters 16-42 μm wavelength for FIR astronomy, cooled, 266
5.5 micron—preliminary measurements, absorption of infrared radiation by atmospheric water vapor in the region 4.3–, 261
Forward looking infrared (FLIR) system, design considerations for U.S. Coast Guard search and surveillance, 247
4.3–5.5 micron—preliminary measurements, absorption of infrared radiation by atmospheric water vapor in the region, 261
Function (MTF) imaging systems, background suppression with variable modulation transfer, 8

Generation and analytic statistical modeling, infrared (IR) scene, 107

Hardware and software for the 90-element pushbroom infrared/charge coupled device/multiplexer (IR/CCD/MUX) field test instrument, image processing, 86
High resolution multi-isothermic liquid crystal sheets, a new infrared imaging system with, 167

(IR) backgrounds, balloon-borne measurements of infrared, 187
(IR/CCD/MUX) field test instrument, image processing hardware and software for the 90-element pushbroom infrared/charge coupled device/multiplexer, 86
IR imaging seeker program, advanced, 58
(IR) scene generation and analytic statistical modeling, infrared, 107
(IR) sensors in meteorology, some uses of infrared, 222
IR surveillance, evaluation of the Fabry-Perot etalon for spectral discrimination in, 212
Image processing hardware and software for the 90-element pushbroom infrared/charge coupled device/multiplexer (IR/CCD/MUX) field test instrument, 86
Images, automatic track assembly for thresholded infrared, 75
Imaging seeker program, advanced IR, 58
Imaging system with high resolution multi-isothermic liquid crystal sheets, a new infrared, 167
Imaging systems, background suppression with variable modulation transfer function (MTF), 8
Infrared applications, cryogenic systems for spaceborne, 170
Infrared/charge coupled device/multiplexer (IR/CCD/MUX) field test instrument, image processing hardware and software for the 90-element pushbroom, 86
Infrared (FLIR) system, design considerations for U.S. Coast Guard search and surveillance forward looking, 247
Infrared images, automatic track assembly for thresholded, 75
Infrared imaging system with high resolution multi-isothermic liquid crystal sheets, a new, 167
Infrared (IR) backgrounds, balloon-borne measurements of, 187
Infrared (IR) scene generation and analytic statistical modeling, 107
Infrared (IR) sensors in meteorology, some uses of, 222
Infrared mosaic observation of an F-15 aircraft, staring, 152
Infrared pyrometers for measuring dust explosion temperatures, 254
Infrared radiation by atmospheric water vapor in the region 4.3–5.5 micron—preliminary measurements, absorption of, 261
Infrared radiation from rocket plumes, 122
Infrared sensor, scheduling measurements to be made by a step-stare mosaic, 31
Infrared source classification system, detector layout and scanning for an, 160
Infrared window, scattering from ZnSe used as an, 203
Isothermic liquid crystal sheets, a new infrared imaging system with high resolution multi-, 167

Jitter, clutter leakage approximations for staring mosaic sensors with simultaneous line of sight (LOS) drift and, 138

(LOS) drift and jitter, clutter leakage approximations for staring mosaic sensors with simultaneous line of sight, 138
Laminated mosaic module performance measurements, 65
Layout and scanning for an infrared source classification system, detector, 160
Leakage approximations for staring mosaic sensors with simultaneous line of sight (LOS) drift and jitter, clutter, 138
Line of sight (LOS) drift and jitter, clutter leakage approximations for staring mosaic sensors with simultaneous, 138
Liquid crystal sheets, a new infrared imaging system with high resolution multi-isothermic, 167

(MTF) imaging systems, background suppression with variable modulation transfer function, 8
Measurements, absorption of infrared radiation by atmospheric water vapor in the region 4.3–5.5 micron—preliminary, 261
Measurements, laminated mosaic module performance, 65
Measurements to be made by a step-stare mosaic infrared sensor, scheduling, 31
Meteorology, some uses of infrared (IR) sensors in, 222
Micron—preliminary measurements, absorption of infrared radiation by atmospheric water vapor in the region 4.3–5.5, 261
Modeling, infrared (IR) scene generation and analytic statistical, 107
Modulation transfer function (MTF) imaging systems, background suppression with variable, 8
Module performance measurements, laminated mosaic, 65
Monolithic adaptive bandpass filter charge coupled device (CCD) multiplexer for a staring mosaic sensor, 15
Mosaic infrared sensor, scheduling measurements to be made by a step-stare, 31
Mosaic module performance measurements, laminated, 65
Mosaic observation of an F-15 aircraft, staring infrared, 152
Mosaic sensor, monolithic adaptive bandpass filter charge coupled device (CCD) multiplexer for a staring, 15
Mosaic sensors with simultaneous line of sight (LOS) drift and jitter, clutter leakage approximations for staring, 138
Multi-isothermic liquid crystal sheets, a new infrared imaging system with high resolution, 167
Multiplexer for a staring mosaic sensor, monolithic adaptive bandpass filter charge coupled device (CCD), 15
Multiplexer (IR/CCD/MUX) field test instrument, image processing hardware and software for the 90-element pushbroom infrared/charge coupled device, 86

New infrared imaging system with high resolution multi-isothermic liquid crystal sheets, a, 167

Observation of an F-15 aircraft, staring infrared mosaic, 152
Optimization program, a sensor, 24

Particle plumes, practical treatment of, 129
Penetration under cloud cover, aircraft, 181
Performance measurements, laminated mosaic module, 65
Perot etalon for spectral discrimination in IR surveillance, evaluation of the Fabry-, 212
Plumes, infrared radiation from rocket, 122
Practical treatment of particle plumes, 129
Preliminary measurements, absorption of infrared radiation by atmospheric water vapor in the region 4.3–5.5 micron—, 261
Processing hardware and software for the 90-element pushbroom infrared/charge coupled device/multiplexer (IR/CCD/MUX) field test instrument, image, 86
Progress in extraction of targets out of clutter, recent, 40
Pushbroom infrared/charge coupled device/multiplexer (IR/CCD/MUX) field test instrument, image processing hardware and software for the 90-element, 86
Pyrometers for measuring dust explosion temperatures, infrared, 254

Radiation by atmospheric water vapor in the region 4.3–5.5 micron—preliminary measurements, absorption of infrared, 261
Radiation from rocket plumes, infrared, 122
Recent progress in extraction of targets out of clutter, 40
Resolution multi-isothermic liquid crystal sheets, a new infrared imaging system with high, 167
Rocket plumes, infrared radiation from, 122

Scanning for an infrared source classification system, detector layout and, 160
Scattering from ZnSe used as an infrared window, 203
Scene generation and analytic statistical modeling, infrared (IR), 107
Scheduling measurements to be made by a step-stare mosaic infrared sensor, 31
Search and surveillance forward looking infrared (FLIR) system, design considerations for U.S. Coast Guard, 247
Seeker program, advanced IR imaging, 58
Sensor, monolithic adaptive bandpass filter charge coupled device (CCD) multiplexer for a staring mosaic, 15
Sensor optimization program, a, 24
Sensor, scheduling measurements to be made by a step-stare mosaic infrared, 31
Sensors, causes of clutter for earth background staring, 2
Sensors in meteorology, some uses of infrared (IR), 222
Sensors with simultaneous line of sight (LOS) drift and jitter, clutter leakage approximations for staring mosaic, 138
Sheets, a new infrared imaging system with high resolution multi-isothermic liquid crystal, 167
Sight (LOS) drift and jitter, clutter leakage approximations for staring mosaic sensor with simultaneous line of, 138
Simultaneous line of sight (LOS) drift and jitter, clutter leakage approximations for staring mosaic sensors with, 138
16-42 μm wavelength for FIR astronomy, cooled filters, 266
Software for the 90-element pushbroom infrared/charge coupled device/multiplexer (IR/CCD/MUX) field test instrument, image processing hardware and, 86
Solid cryogen coolers, status of, 193
Some uses of infrared (IR) sensors in meteorology, 222
Source classification system, detector layout and scanning for an infrared, 160
Spaceborne infrared applications, cryogenic systems for, 170
Spectral discrimination in IR surveillance, evaluation of the Fabry-Perot etalon for, 212
Staring infrared mosaic observation of an F-15 aircraft, 152
Staring mosaic sensor, monolithic adaptive bandpass filter charge coupled device (CCD) multiplexer for a, 15
Staring mosaic sensors with simultaneous line of sight (LOS) drift and jitter, clutter leakage approximations for, 138
Staring sensors, causes of clutter for earth background, 2
Statistical modeling, infrared (IR) scene generation and analytic, 107
Status of solid cryogen coolers, 193
Step-stare mosaic infrared sensor, scheduling measurements to be made by a, 31
Suppression with variable modulation transfer function (MTF) imaging systems, background, 8
Surveillance, evaluation of the Fabry-Perot etalon for spectral discrimination in IR, 212
Surveillance forward looking infrared (FLIR) system, design considerations for U.S. Coast Guard search and, 247
Systems, background suppression with variable modulation transfer function (MTF) imaging, 8

Target for display evaluation, digital test, 237
Targets out of clutter, recent progress in extraction of, 40
Temperatures, infrared pyrometers for measuring dust explosion, 254
Test target for display evaluation, digital, 237
Thresholded infrared images, automatic track assembly for, 75
Track assembly for thresholded infrared images, automatic, 75
Transfer function (MTF) imaging systems, background suppression with variable modulation, 8
Treatment of particle plumes, practical, 129

U.S. Coast Guard search and surveillance forward looking infrared (FLIR) system, design considerations for, 247

Vapor in the region 4.3–5.5 micron—preliminary measurements, absorption of infrared radiation by atmospheric water, 261
Variable modulation transfer function (MTF) imaging systems, background suppression with, 8

Water vapor in the region 4.3√5.5 micron—preliminary measurements, absorption of infrared radiation by atmospheric, 261
Wavelength for FIR astronomy, cooled filters 16-42 μm, 266

ZnSe used as an infrared window, scattering from, 203